

New Fashion Hair Jewelry Multicolored Rhinestone Bowknot Shape

PRODUCT DETAILS

| Jewelry Type: | Necklaces | |
|-------------------|--|--|
| Color: | As Picture | |
| Material: | Alloy | |
| Feature: | Eco-friendly Clothing/Bag/Hat/shawl | |
| Occasion: | Anniversary, Engagement, Gift, Party | |
| Gender: | Women's | |
| Certificate: | United States Patent and Trademark certificate , SGS ,EMTEK | |
| Sample Time: | 5~7 days | |
| Mass Production : | 25~35 days | |
| Remark: | OEM/ODM Welcomed | |



(0).

6.3CM







Desny Jewelry Ind Co., Limited was founded in 2004, which Specialized in manufacturing high quality metal jewelry, like watchbands, bracelets, necklaces, bangles, belts, pins, earrings and pendants. incorporated with development, production, and sales departments. Our company is a qualified manufacturer and a metal jewelry supplier in China.

customer design and sample are welcome.

ODM service is available in our company.

PRODUCT PROCESSING





| Test Report | |
|--|--|
| na an a | |
| Applicant Direction DESINY JUNELITY CO. 172 | |
| AND THE REAL PRODUCES AND A STREET OF A ST | |
| herpic bare forma | |
| Reserved Seals - New 18, 2017 Sealing Partial - New 18, 2017 - New 23, 2017 | |
| | |
| RCast unter B.Cabrus unter | |
| Silverante | |
| Faculta Laterary ITMANATI CONCLUTION | |
| 1 California Propertier III - Logal content Pro20 | |
| Collers Papeller B - California press Page P | |
| | |
| | |
| | |
| | |
| Eigenet für sind als hahted of SM259 (Stransbert) (Sr. 1.0. | |
| | |
| and by Australia | |
| Text angleses Textende suggestion Automatic spraces Marc 23, 2017 | A |
| contributions of the second state of the second state of the | United States of America |
| | Talline of the second of the s |
| and the second s | Biniteb Baters Batent anb Ceabemark Office |
| | 46 |
| | Decent |
| | |
| | Jestin |
| | Desny |
| | Desning |
| | Reg. No. 5,256,256 Benchmark State Control Cold II (2004) State St |
| | Registered Aug, 01, 2017 Language from Language from |
| | Registered Aug, 01, 2017 Language from Language from |
| | Registered Aug, 01, 2011 Nu21 Multitative Ist, C1: 14 USA 19 August starting and the matter of the CONA Trademark Clink 19 August starting and the matter of the CONA Trademark Clink 19 August starting and the matter of the CONA |
| | Registered Aug. 01, 2017 Sci 20 Advances from Int. C1: 14 CLN0 14 Clnc of primary services Sci 20 Advances from Trademark Spin phashs, Main services, Smith |
| | Registered Aug. 01, 2017 N=22-50-bits balance for the management of the manageme |
| | Registered Aug. 01, 2017 1423 Advanced for them Int. C1: 14 CLEND 16 (for go demonstrate model), for advanced for (10%). Tradeometric Physical advanced for (10%). Principal Register Filter advanced for (10%). Principal Register Filter advanced for (10%). Principal Register Filter advanced for (10%). Filter advanced for (10%). Filter advanced for (10%). |
| | Registered Aug. 01, 2017 Nal.25 Advanced Bat. C1: 14 Nal.26 Advanced to Simulation (no.10%). Tradecover Symbolic Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). |
| EMTEK | Registered Aug. 01, 2017 N=23-56 data total Lisk. C1: 14 CL:N0 14.6 data of primaria Trademark CL:N0 14.6 data of primaria Principal Register CL:N0 14.6 data of primaria CI:N0 14.6 data of primaria CL:N0 14.6 data of primaria CI:N0 14.6 data of primaria CL:N0 14.6 data of primaria CI:N0 14.6 data of primaria CL:N0 14.6 data of primaria CI:N0 14.6 data of primaria CL:N0 14.6 data of primaria CI:N0 14.6 data of primaria CL:N0 14.6 data of primaria CI:N0 14.6 data of primaria CL:N0 14.6 data of primaria CI:N0 14.6 data of primaria CL:N0 14.6 data of primaria CI:N0 14.6 data of primaria CL:N0 14.6 data of primaria CI:N0 14.6 data of primaria CL:N0 14.6 data of primaria CI:N0 14.6 data of primaria CL:N0 14.6 data of primaria CI:N0 14.6 data of primaria CL:N0 14.6 data of primaria |
| deleter to ros Witte | Registered Aug. 01, 2017 Nal.25 Advanced Bat. C1: 14 Nal.26 Advanced to Simulation (no.10%). Tradecover Symbolic Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). |
| Test Report | Registered Aug. 01, 2017 Nal.25 Advanced Bat. C1: 14 Nal.26 Advanced to Simulation (no.10%). Tradecover Symbolic Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). |
| Test Report be the (1, 21) Page 144 | Registered Aug. 01, 2017 Nal.25 Advanced Bat. C1: 14 Nal.26 Advanced to Simulation (no.10%). Tradecover Symbolic Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). |
| Test Report or mercennesses and the fit and the second sec | Registered Aug. 01, 2017 Nal.25 Advanced Bat. C1: 14 Nal.26 Advanced to Simulation (no.10%). Tradecover Symbolic Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). |
| Test Report 0 Marcine (C. 2017 Marcine) Marcine Marcine National | Registered Aug. 01, 2017 Nal.25 Advanced Bat. C1: 14 Nal.26 Advanced to Simulation (no.10%). Tradecover Symbolic Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). |
| A DEFENSION CONTRACTOR OF A DESCRIPTION OF A DESCRIPRODOF A DESCRIPRODOF A DESCRIPTION OF A DESCRIPTION OF A DESCRIP | Righter of Acg. 91, 2017 I. K. Ch. 14 The Star Star Star Star Star Star Star Star |
| Construction C | Righter of Acg. 91, 2017 I. K. Ch. 14 The Star Star Star Star Star Star Star Star |
| Test Report Net Search (S. 2017) Market Mar | Registered Aug. 01, 2017 Nal.25 Advanced Bat. C1: 14 Nal.26 Advanced to Simulation (no.10%). Tradecover Symbolic Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Principal Register Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). Nal.26 Advanced to Simulation (no.10%). |
| A MARINE STATE OF A MARINE AND | Righter of Acg. 91, 2017 I. K. Ch. 14 The Star Star Star Star Star Star Star Star |

| | | Test Report | | |
|---|---|--|-----------------------------|--|
| - | - | 100 No. 11 (217 | Page 2 4 4 | |
| Tast from No. | | | | |
| Acre for | | Description | | |
| | Molal will a | the hast shoped store - Mittel with sty loss heart- | Propert closes + Maker with | |
| | they will p | gurgen oragani alemetriaj con lana alemetra para i Matal adli gran prani li | and of some others a black | |
| 1.8 | | with title fresh chaped above(http: | | |
| | Max set of | (ght purple head shaped store + Melar Wet data purple head shaped storer Metal with head shaped store (store) | | |
| | | | | |
| | | TO SHE THE Remains an performed to CF-0 | | |
| ed restrict | | PA 3012 1081 the anduars was partnered to CP 0 Load (Ph) | 6 | |
| ed method kranjel and jengelaj | to other to UK it | | • | |
| nel method Acatyle Land (mylka | to other to UK it | Lead (Ph) 100 2 | 6 | |
| nd method Acatyle Lond imgleg MCR. (myleg Lost ban fe | to when so U is it | Load (PD) VOI 2 | | |
| ed method matyle and imyleg 453, imyleg fast fam fo fast fam fo fast fam fo | To other to UK IS | Lead (Ph) 100 2 | | |
| net method Anaryte Lond imgelig MCR, imgelig | 10 oder 10 000 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Load (Mt) up 2 4 4 4 4 4 4 4 4 4 4 4 4 4 | Ref Line ungers | |
| Ind mobile Anaple Lond mobile Mills mobile Tax bank for Band mobile Band mobile Band mobile Anaple Anaple | To other to UK I F | Lovel (M) VID 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | Ref Line ungers | |
| Analytei Lond (myks) MCD, (myks) Taat faan fa Taasad (myks) Same (Long) Same (Long) Same (Long) Same (Long) Same (Long) Same (Long) | To other to UK I F | Lead Title State The State S | Ref Line ungers | |
| ed method Anaple Lond method MSL method Name in anythe Contraction of method Anaple Lond angleg Lond angleg | | A URL MR. Lead MR. Le | Ref Line ungers | |

| . (MP311000000000 | Test Report | Navidi |
|-------------------|----------------|--|
| | | 01151118098C002 |
| Bertha y | * | * |
| ******* | TEST FLOWCHART | and the second by second b |
| | | |

PACKING & SHIPPING





Q: Are you a manufacturer?

A: Yes, we are an experienced manufacturer with our own molds and production lines.

Q: How to place an order?

A: You can choose some items you like online, or you can write down the item/code number, with quantities you want, contact our customer service to make order.

Q: How long to prepare an order?

A: We have a lot of products on sale, if your order are all in stock, then can prepare within 1 day. if no stock, and you want, please contact our customer service to further discuss.

Q: How long would I get the goods?

A: Usually we ship by DHL/UPS/TNT/EMS, you can get the goods within 3-5days. If you choose other shipping method, please contact our customer service.

Q: How to pay?

A: You can pay by T/T, Western Union and Paypal .

Q: Can I have our own design?

A: Sure you can, our designer will according to your picture or ideas to draw/design picture. The product will arrange production when you confirm.

Q: What should I do if the goods arrive damaged?

A: Please for sure, Our QC will check all good when they ship. Please take photo to us for confirm if products are destroyed by ship And new one will be sent to you in your new order.

Q:The item I received is broken ,what should i do?

A:Every piece of jewelry is theory roundly inspected before being packed and is carefully packed before we ship it. Please know that once it leaves our factory. We are not in charge of the handing through the shipping service and they may handle the package roughly. We will do our best to label the package appropriately to avoid any damage. Please contact us with picture of the damages and we will help you to resolve this issue.

